

GLOBAL WAVE STOCK PRODUCT CATALOG

ver1.0



Lab Instruments & Supplies

Factory Work Tool & Supplies

Clean Room/Anti Static Supplies

Narrow-Mouth Bottle IBOY PP

- Material : Bottle&Lid/Polypropylene
- Heatproof Temperature : 130°C
- Steam sterilization temperature : 121°C
- Passed the water leak test
- Scale on the bottle

Order No.

- 5-001-52 100mL 100pcs
- 5-001-53 250mL 100pcs
- 5-001-54 500mL 50pcs
- 5-001-55 1L 20pcs



Wide-Mouth Bottle IBOY PP

- Material : Bottle&Lid/Polypropylene
- Heatproof Temperature : 130°C
- Steam sterilization temperature : 121°C
- Passed the water leak test
- Scale on the bottle

Order No.

- 5-002-51 50mL 100pcs
- 5-002-52 100mL 100pcs
- 5-002-53 250mL 100pcs



Wide-Mouth Bottle IBOY PP

- Material : Bottle&Lid/Polypropylene
- Heatproof Temperature : 130°C
- Steam sterilization temperature : 121°C
- Passed the water leak test
- Scale on the bottle

Order No.

- 5-002-54 500mL 50pcs
- 5-002-55 1L 20pcs
- 5-002-56 2L 20pcs



Wide-Mouth Bottle BIGBOY PFA

- Teflon super PFA bottle
- For storage of high-purity reagent or ultrapure water
- For long-term storage owing to little secular change

Order No.

- 4-5342-05 100mL
- 4-5342-06 250mL
- 4-5342-07 500mL
- 4-5342-08 1000ml




Wash Bottle BS-Type

- Material: Bottle/ Low density polyethylene
- Nozzle/ Low density polyethylene
- Cap/ High density polyethylene

Order No.

- 1-4639-01 100mL
- 1-4639-02 250mL
- 1-4639-03 500mL
- 1-4639-04 1000mL



Washing Bottle Colorful Narrow-Mouth

- Material : Polyethylene
- Easy to recognize by cap color
- Prevent water leakage from combined cap and nozzle

Order No.

- 4-5663-03 Red 500mL
- 4-5664-03 Yellow 500mL
- 4-5665-03 Blue 500mL



Laboran Screw Vial

- For storage of liquid and powder sample
- Material : Cap/ Polypropylene
- Bottle/ Borosilicate glass
- Packing/ PP high sheet

Order No.

- 9-852-05 9mL 100+10pcs
- 9-852-06 13.5mL 50+5pcs
- 9-852-07 20mL 50+5pcs



Laboran Screw Vial

- For storage of liquid and powder sample
- Material : Cap/ Polypropylene
- Bottle/ Borosilicate glass
- Packing/ PP high sheet

Order No.

- 9-852-08 30mL 50pcs+5pcs
- 9-852-09 50mL 50+5pcs
- 9-852-10 110mL 50+5pcs



Disposable Cup (Blow Molding)

- Blow Molding
- Material : Polypropylene

Order No.

- 1-4659-11 100mL 1000pcs
- 1-4659-12 150mL 1000pcs
- 1-4659-13 200mL 1000pcs
- 1-4659-14 300mL 500pcs
- 1-4659-15 500mL 250pcs
- 1-4659-16 1000mL 100pcs
- 1-4659-17 2000mL 100pcs



AP Cut-Resistant Gloves (Level 3)

- Material : Ultra-high strength Polyethylene Coating/ Polyurethane

Order No.

- 3-8032-02 Not Palm Coated L-size
- 3-8032-03 Not Palm Coated M-size
- 3-8032-04 Not Palm Coated S-size



Heat Resistant Cutting Protection Glove

- Material :
Body/Aramid fiber
Surface/ Heat resistant urethane
Sewing thread/ Aramid fiber
- Length : About 280mm

Order No.

1-4824-01 AP-9



Heat Resistant Disaster Prevention Glove

- Material:
Front/ Meta-aramid fiber
Inside/ Cotton 100%
Palm/ Meta-aramid fiber,
Aluminum
processing
- Use it at 400°C or less
- Washing available

Order No.

1-1492-01 CGF-8A Length: 340mm

1-1492-02 CGF-8AL Length: 450mm



F-TELON Gloves (Strong Acid Resistance)

- Material : Table / CSM (hyperone),
Back / Nitrile rubber
- glove for strong acid such as
Hydrofluoric Acid, Aqua Regia, etc.
- Feature : Long

Order No.

6-929-01 A-22L for men 1pair

6-929-02 B-22L for women 1pair



Auto Dry Desiccator

- Material: Transparent PMMA (acrylic)
- Dehumidification system:
Using solid high polymer electrolyte
membrane, H2O electrolytic
discharge
- Reaching humidity:
25%RH (with no internal load,
depending on the usage
environment)
- Input : AC100-240V 50/60Hz

Order No.

1-5486-21 330×345×525mm OH-3S



Flat Bottle with Stopcock

- Material: Body/ Polyethylene
Cock/ Polypropylene
O-ring packing, Seal packing/
Ethylene propylene rubber

Order No.

4-5335-01 10L

4-5335-02 20L



Digital Magnetic Stirrer

- Material:
Body/ ABS resin,
Plate/ stainless steel (SUS304)
- Input: Power 100 - 240VAC 50/60Hz
- Rotation speed (rpm): 100 - 1500
- Stirred capacity (mL): 50 - 3000 x 1

Order No.

1-4602-32 Digital-type RS-1DN

1-4602-41 Analog-type RS-1AN



Hot Stirrer AC230V

- Material:
Body/ ABS resin
Hot plate/ Aluminum (fluorine resin
coating)
- Plate size: 165 x 150mm
- Temperature settings range: -50 - 250°C
- Rotation speed (rpm): 100 - 1500
- Stirred capacity (mL): 50 - 3000 x 1

Order No.

1-4606-92 SS-9863



Up-down Transformer

- Number of outlet: 5 pcs
- Shape of input plug:
Flat pin A-2 with C-2
- Input and output voltage:
100V, 120V, 200V, 220V, 240V

Order No.

6-7092-01 SU-550



Pen Type pH/Conductivity Meter

- Measurement item:
pH · Temperature · Conductivity ·
TDS

- Measurement range: pH/0 to 14.0,
Temperature/0 to 50.0 °C,
Conductivity/0 to 200.0/0 to
2000µS/cm, 0 to 20.0mS/cm,
TDS/0 ppm to 10.0 ppt

Order No.

4-356-01 MPC70



Nihon Denkei Indonesia started to keep lab instruments and supplies in stock. We can flexibly change our inventory situation based on your needs, requests and annual demands. If asked, we would include any products* as our stocks from 65,000 items on Wave Global.

Denkei will help our clients with **better price** and **shorter lead time** for more **efficient operation**. Feel free to contact us.


*we cannot provide Chemical and other hazardous items.

GLOBAL WAVE is Denkei Indonesia's new online tool to ask us inquiry. You can easily request us quotations and we will quick respond to you. English, Indonesian Bahasa, Chinese and 13 more languages are available.

Register as a member to check the price on WAVE GLOBAL.



•Follow our SNS accounts. We are constantly update the latest technology information.



NIHONDENKEIINDONESIA

PT. Nihon Denkei Indonesia

18 Office Park Building 22nd Floor Jl. TB. Simatupang No. 18
Jakarta Selatan 12520

TEL : (+62-21) 22783422
E-mail : sc@n-denkei.co.id
HP : <https://www.n-denkei.com/indonesia/>